ELSEVIER

Gene 189 (1997) 297–299

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 189 (1997)

Abe, F., see Okafuji, T. (189) 49
Allison, R.S.H., see Romeo, D. (189) 289
Ando, A., see Sugaya, K. (189) 235

Badaracco, G., see Maiorano, D. (189) 13
Beppu, T., see Usui, T. (189) 43
Bezard, J., see Payen, E. (189) 143
Brocard, M.-P., Triebe, S., Peretti, M., Doenecke, D. and Khochbin, S.
Characterization of the two H1°-encoding genes from *Xenopus laevis* (189) 127
Bui, T.D., Lako, M., Lejeune, S., Curtis, A.R.J., Strachan, T., Lindsay, S. and Harris, A.L.
Isolation of a full-length human *WNT7A* gene implicated in limb development and cell transformation, and mapping to chromosome 3p25 (189) 25
Bull, H.J., see Hayes, S. (189) 35
Burgess, J.G., see Matsumura, H. (189) 169

Cece, R., see Maiorano, D. (189) 13
Chang, M.C., see Chuang, Y.C. (189) 163
Chang, T.M., see Chuang, Y.C. (189) 163
Chang, W.-C., see Hsu, L.C. (189) 89
Charon, N.W., see Ge, Y. (189) 195
Chomvarin, C., see Tauschek, M. (189) 107
Chowdhury, R., see Sahu, G.K. (189) 203
Chuang, Y.C., Chang, T.M. and Chang, M.C.
Cloning and characterization of the gene (*empV*) encoding extracellular metalloprotease from *Vibrio vulnificus* (189) 163
Cotinot, C., see Payen, E. (189) 143
Court, D.L., see Zuber, M. (189) 31
Curtis, A.R.J., see Bui, T.D. (189) 25

Das, J., see Sahu, G.K. (189) 203
Davidson, E.A., see Verma, M. (189) 9
Davies, J.K., see Tauschek, M. (189) 107
Deakin, W.J., Furniss, C.S.M., Parker, V.E. and Shaw, C.H.
Isolation and characterisation of a linked cluster of genes from *Agrobacterium tumefaciens* encoding proteins involved in flagellar basal-body structure (189) 135
Deakin, W.J., Sanderson, J.L.C.I., Goswami, T. and Shaw, C.H.
The *Agrobacterium tumefaciens* motor gene, *motA*, is in a linked cluster with the flagellar switch protein genes, *fliG*, *fliM* and *fliN* (189) 139
Debrock, S., Sironi, L. and Declerck, P.J.
Cloning of a single-chain variable fragment (scFv) switching active plasminogen activator inhibitor-1 to substrate (189) 83
Declerck, P.J., see Debrock, S. (189) 83
Déjardin, A., see Eimert, K. (189) 79
Dertzbaugh, M.T., see Zuber, M. (189) 31
Doenecke, D., see Brocard, M.-P. (189) 127

Ebensperger, C., see Magyar, J.P. (189) 269
Eimert, K., Luo, C., Déjardin, A., Villand, P., Thorbjørnsen, T. and Kleczkowski, L.A.
Molecular cloning and expression of the large subunit of ADP-glucose pyrophosphorylase from barley (*Hordeum vulgare*) leaves (189) 79
Eugen-Olsen, J., Hagemeister, J.J. and Hellung-Larsen, P.
Expression of *Tetrahymena* snRNA gene variants including a U1 gene with mutations in the 5′ splice site recognition sequence (189) 221

Favre, B. and Ryder, N.S.
Cloning and expression of squalene epoxidase from the pathogenic yeast *Candida albicans* (189) 119
Flannery, A.V., see Jiang, W. (189) 65
Fletcher, J., see Ye, F. (189) 95
Fujimori, H., see Kiyono, M. (189) 151
Fujita, J., see Kaneko, Y. (189) 19
Fukagawa, T., see Sugaya, K. (189) 235
Fukushima, R., see Saito, K. (189) 57
Furniss, C.S.M., see Deakin, W.J. (189) 135
Furuichi, Y., see Ichikawa, K. (189) 277
Fyfe, J.A.M., see Tauschek, M. (189) 107

Gannon, F., see McMorrow, T. (189) 183
Ge, Y. and Charon, N.W.
Identification of a large motility operon in *Borrelia burgdorferi* by semi-random PCR chromosome walking (189) 195
Gianquinto, L., see Payen, E. (189) 143
Gopalkrishnan, R.V., Mattei, M.-G. and Kedinger, C.
A DP1 pseudogene derived from an aberrantly processed RNA (189) 113
Goswami, T., see Deakin, W.J. (189) 139
Goto, M., see Ichikawa, K. (189) 277

Hall, L.A., see Tauschek, M. (189) 107
Hagemeister, J.J., see Eugen-Olsen, J. (189) 221
Hamilton, C.W., see Tauschek, M. (189) 107
Hanazato, T., see Tokishita, S. (189) 73
Harris, A.L., see Bui, T.D. (189) 25
Harte, T., see McMorrow, T. (189) 183
Hata, K. and Sakaki, Y.
Identification of critical CpG sites for repression of L1 transcription by DNA methylation (189) 227
Hayes, H., see Payen, E. (189) 143
Hayes, S., Bull, H.J. and Tulloch, J.
The Rex phenotype of altruistic cell death following infection of a λ lysogen by T4*rII* mutants is suppressed by plasmids expressing OOP RNA (189) 35
Hellung-Larsen, P., see Eugen-Olsen, J. (189) 221
Hoch, S.O., see Sun, D. (189) 245
Honda, A., see Usui, T. (189) 43
Hoover, T.A., see Zuber, M. (189) 31
Horinouchi, S., see Usui, T. (189) 43
Hovemann, B.T., Sehlmeyer, F. and Malz, J.
Drosophila melanogaster NADPH–cytochrome P450 oxidoreductase: pronounced expression in antennae may be related to odorant clearance (189) 213

Hsu, L.C., Chang, W.-C. and Yoshida, A.
Human aldehyde dehydrogenase genes, *ALDH7* and *ALDH8*: Genomic organization and gene structure comparison (189) 89

Ichikawa, K., Yamabe, Y., Imamura, O., Kuromitsu, J., Sugawara, K., Suzuki, N., Shimamoto, A., Matsumoto, T., Tokutake, Y., Kitao, S., Kataoka, H., Satoh, M., Sugimoto, M., Goto, M., Sugawara, M. and Furuichi, Y.
Cloning and characterization of a novel gene, WS-3, in human chromosome 8p11-p12 (189) 277
Ikemura, T., see Sugaya, K. (189) 235
Imamura, O., see Ichikawa, K. (189) 277
Inoko, H., see Sugaya, K. (189) 235
Inoue, K., see Saito, K. (189) 57
Inouye, S., Ogawa, H., Yasuda, K., Umesono, K. and Tsuji, F.I.
A bacterial cloning vector using a mutated *Aequorea* green fluorescent protein as an indicator (189) 159
Inuzuka, M., see Kiyono, M. (189) 151

Jia, W. and Naqi, S.A.
Sequence analysis of gene 3, gene 4 and gene 5 of avian infectious bronchitis virus strain CU-T2 (189) 189
Jiang, W. and Flannery, A.V.
Correlation of the exon/intron organization to the secondary structures of the protease domain of mouse meprin α subunit (189) 65

Kaneko, Y., Kimura, T., Kishishita, M., Noda, Y. and Fujita, J.
Cloning of *apg-2* encoding a novel member of heat shock protein 110 family (189) 19
Kasahara, K., see Usui, T. (189) 43
Kataoka, H., see Ichikawa, K. (189) 277
Kedinger, C., see Gopalkrishnan, R.V. (189) 113
Khochbin, S., see Brocard, M.-P. (189) 127
Kimura, S., see Tokishita, S. (189) 73
Kimura, T., see Sugaya, K. (189) 235
Kimura, T., see Kaneko, Y. (189) 19
Kishishita, M., see Kaneko, Y. (189) 19
Kitao, S., see Ichikawa, K. (189) 277
Kiyono, M., Omura, T., Inuzuka, M., Fujimori, H. and Pan-Hou, H.
Nucleotide sequence and expression of the organomercurial-resistance determinants from a *Pseudomonas* K-62 plasmid pMR26 (189) 151
Kleczkowski, L.A., see Eimert, K. (189) 79
Kobayashi, M., see Tokishita, S. (189) 73
Kondaiah, P., see Romeo, D. (189) 289
Kolb, A.F. and Siddell, S.G.
Erratum to: 'Genomic targeting with an MBP-Cre fusion protein' [Gene 183 (1996) 53–60]
Krause, M.K., Rhodes, L.D. and Van Beneden, R.J.
Cloning of the *p53* tumor suppressor gene from the Japanese medaka (*Oryzias latipes*) and evaluation of mutational hotspots in MNNG-exposed fish (189) 101
Kuromitsu, J., see Ichikawa, K. (189) 277
Kusakabe, E., see Matsumura, H. (189) 169

Lako, M., see Bui, T.D. (189) 25
Lejeune, S., see Bui, T.D. (189) 25
Le Pennec, N., see Payen, E. (189) 143
Lindsay, S., see Bui, T.D. (189) 25
Luo, C., see Eimert, K. (189) 79

Maeda, Y., see Okafuji, T. (189) 49
Magyar, J.P., Ebensperger, C., Schaeren-Wiemers, N. and Suter, U.
Myelin and lymphocyte protein (MAL/MVP17/VIP17) and plasmolipin are members of an extended gene family (189) 269
Maiorano, D., Cece, R. and Badaracco, G.
Satellite DNA from the brine shrimp *Artemia* affects the expression of a flanking gene in yeast (189) 13
Malz, J., see Hovemann, B.T. (189) 213
Matsumoto, T., see Ichikawa, K. (189) 277
Matsumura, H., Takeyama, H., Kusakabe, E., Burgess, J.G. and Matsunaga, T.
Cloning, sequencing and expressing the carotenoid biosynthesis genes, lycopene cyclase and phytoene desaturase, from the aerobic photosynthetic bacterium *Erythrobacter longus* sp. strain Och101 in *Escherichia coli* (189) 169
Matsunaga, T., see Matsumura, H. (189) 169
Mattei, M.-G., see Gopalkrishnan, R.V. (189) 113
McMorrow, T., Wagner, A., Harte, T. and Gannon, F.
Sequence analysis and tissue expression of a non-Bohr beta-globin cDNA from Atlantic salmon (189) 183
Melcher, U., see Ye, F. (189) 95
Miller, L., see Warshawsky, D. (189) 209
Mita, K., see Sugaya, K. (189) 235

Nakamura, Y., see Sugaya, K. (189) 235
Naqi, S.A., see Jia, W. (189) 189
Noda, Y., see Kaneko, Y. (189) 19
Nohata, J., see Sugaya, K. (189) 235
Noji, M., see Saito, K. (189) 57

Ogawa, H., see Inouye, S. (189) 159
Ohta, T., see Tokishita, S. (189) 73
Okafuji, T., Abe, F. and Maeda, Y.
Antisense-mediated regulation of *Annexin VII* gene expression during the transition from growth to differentiation in *Dictyostelium discoideum* (189) 49
Omura, T., see Kiyono, M. (189) 151
Ou, Y.C., see Sun, D. (189) 245

Pailhoux, E., see Payen, E. (189) 143
Pan-Hou, H., see Kiyono, M. (189) 151
Parker, V.E., see Deakin, W.J. (189) 135
Payen, E., Pailhoux, E., Gianquinto, L., Hayes, H., Le Pennec, N., Bezard, J. and Cotinot, C.
The ovine *SOX2* gene: sequence, chromosomal localization and gonadal expression (189) 143
Peretti, M., see Brocard, M.-P. (189) 127

Rhodes, L.D., see Krause, M.K. (189) 101
Romeo, D., Allison, R.S.H., Kondaiah, P. and Wakefield, L.M.
Recharacterization of the start sites for the major human transforming growth factor-β1 mRNA (189) 289
Roy, K., see Tolner, B. (189) 1
Ryder, N.S., see Favre, B. (189) 119

Sahu, G.K., Chowdhury, R. and Das, J.
The *rpoH* gene encoding σ^{32} homolog of *Vibrio cholerae* (189) 203
Saito, K., Inoue, K., Fukushima, R. and Noji, M.
Genomic structure and expression analyses of serine acetyltransferase gene in *Citrullus vulgaris* (watermelon) (189) 57
Sakaki, Y., see Hata, K. (189) 227
Sanderson, J.L.C.I., see Deakin, W.J. (189) 139
Sasanuma, S.-i., see Sugaya, K. (189) 235
Satoh, M., see Ichikawa, K. (189) 277
Schaeren-Wiemers, N., see Magyar, J.P. (189) 269
Schlmeyer, F., see Hovemann, B.T. (189) 213
Shaw, C.H., see Deakin, W.J. (189) 135
Shaw, C.H., see Deakin, W.J. (189) 139
Shiga, Y., see Tokishita, S. (189) 73
Shimamoto, A., see Ichikawa, K. (189) 277
Siddell, S.G., see Kolb, A.F. (189) 149

Simmonds, R.S., Simpson, W.J. and Tagg, J.R.
Cloning and sequence analysis of *zooA*, a *Streptococcus zooepidemicus* gene encoding a bacteriocin-like inhibitory substance having a domain structure similar to that of lysostaphin (189) 255
Simpson, W.J., see Simmonds, R.S. (189) 255
Sironi, L., see Debrock, S. (189) 83
Sirotnak, F.M., see Tolner, B. (189) 1
Strachan, T., see Bui, T.D. (189) 25
Sugawara, K., see Ichikawa, K. (189) 277
Sugawara, M., see Ichikawa, K. (189) 277
Sugaya, K., Sasanuma, S.-i., Nohata, J., Kimura, T., Fukagawa, T., Nakamura, Y., Ando, A., Inoko, H., Ikemura, T. and Mita, K.
Gene organization of human NOTCH4 and $(CTG)_n$ polymorphism in this human counterpart gene of mouse proto-oncogene *Int3* (189) 235
Sugimoto, M., see Ichikawa, K. (189) 277
Sun, D., Ou, Y.C. and Hoch, S.O.
Analysis of genes for human snRNP Sm-D1 protein and identification of the promoter sequence which shows segmental homology to the promoters of *Sm-E* and *U1* snRNA genes (189) 245
Suter, U., see Magyar, J.P. (189) 269
Suzuki, N., see Ichikawa, K. (189) 277
Svendsen, P.C., Yee, H.A., Winkfein, R.J. and van de Sande, J.H.
The mouse uracil-DNA glycosylase gene: isolation of cDNA and genomic clones and mapping *ung* to mouse chromosome 5 (189) 175

Tagg, J.R., see Simmonds, R.S. (189) 255
Takeyama, H., see Matsumura, H. (189) 169
Tauschek, M., Hamilton, C.W., Hall, L.A., Chomvarin, C., Fyfe, J.A.M. and Davies, J.K.
Transcriptional analysis of the *groESL* operon of *Neisseria gonorrhoeae* (189) 107
Thorbjørnsen, T., see Eimert, K. (189) 79
Tokishita, S., Shiga, Y., Kimura, S., Ohta, T., Kobayashi, M., Hanazato, T. and Yamagata, H.
Cloning and analysis of a cDNA encoding a two-domain hemoglobin chain from the water flea *Daphnia magna* (189) 73
Tokutake, Y., see Ichikawa, K. (189) 277
Tolner, B., Roy, K. and Sirotnak, F.M.
Organization, structure and alternate splicing of the murine RFC-1 gene encoding a folate transporter (189) 1
Triebe, S., see Brocard, M.-P. (189) 127
Tsuji, F.I., see Inouye, S. (189) 159
Tulloch, J., see Hayes, S. (189) 35

Umesono, K., see Inouye, S. (189) 159
Usui, T., Yoshida, M., Kasahara, K., Honda, A., Beppu, T. and Horinouchi, S.
A novel HSP70 gene of *Schizosaccharomyces pombe* that confers K-252a resistance (189) 43

Van Beneden, R.J., see Krause, M.K. (189) 101
van de Sande, J.H., see Svendsen, P.C. (189) 175
Verma, M. and Davidson, E.A.
Transcriptional regulation of tracheo-bronchial mucin (TBM) gene by ethanol (189) 9
Villand, P., see Eimert, K. (189) 79

Wagner, A., see McMorrow, T. (189) 183
Wakefield, L.M., see Romeo, D. (189) 289
Wang, S.-Z., see Yan, R.-T. (189) 263
Warshawsky, D. and Miller, L.
In vivo footprints are found in the *Xenopus* 63 kDa keratin gene promoter prior to the appearance of mRNA (189) 209
Winkfein, R.J., see Svendsen, P.C. (189) 175

Yamabe, Y., see Ichikawa, K. (189) 277
Yamagata, H., see Tokishita, S. (189) 73
Yan, R.-T. and Wang, S.-Z.
Increased Chromokinesin immunoreactivity in retinoblastoma cells (189) 263
Yasuda, K., see Inouye, S. (189) 159
Ye, F., Melcher, U. and Fletcher, J.
Molecular characterization of a gene encoding a membrane protein of *Spiroplasma citri* (189) 95
Yee, H.A., see Svendsen, P.C. (189) 175
Yoshida, A., see Hsu, L.C. (189) 89
Yoshida, M., see Usui, T. (189) 43

Zuber, M., Hoover, T.A., Dertzbaugh, M.T. and Court, D.L.
A *Francisella tularensis* DNA clone complements *Escherichia coli* defective for the production of Era, an essential Ras-like GTP-binding protein (189) 31